

Prepared for:
DR. DUFFY'S
USA


30mg CBD Isolate Banded Capsules


Batch ID or Lot Number: 18503-01	Test: Potency	Reported: 08Nov2022	USDA License: N/A
Matrix: Unit	Test ID: T000226856	Started: 07Nov2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 04Nov2022	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.027	0.079	<LOQ	<LOQ	# of Servings = 1, Sample Weight=0.47g
Cannabichromenic Acid (CBCA)	0.025	0.072	ND	ND	
Cannabidiol (CBD)	0.063	0.207	31.330	66.70	
Cannabidiolic Acid (CBDA)	0.065	0.213	ND	ND	
Cannabidivarin (CBDV)	0.015	0.049	0.120	0.30	
Cannabidivarinic Acid (CBDVA)	0.027	0.089	ND	ND	
Cannabigerol (CBG)	0.015	0.045	ND	ND	
Cannabigerolic Acid (CBGA)	0.065	0.187	ND	ND	
Cannabinol (CBN)	0.020	0.058	ND	ND	
Cannabinolic Acid (CBNA)	0.044	0.128	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.077	0.223	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.070	0.203	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.062	0.180	ND	ND	
Tetrahydrocannabivarin (THCV)	0.014	0.041	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.055	0.158	ND	ND	
Total Cannabinoids			31.450	67.00	
Total Potential THC			ND	ND	
Total Potential CBD			31.330	66.70	

Final Approval


PREPARED BY / DATE
Sam Smith
08Nov2022
03:33:00 PM MST


APPROVED BY / DATE
Karen Winternheimer
08Nov2022
03:37:00 PM MST



<https://results.botanacor.com/api/v1/coas/uuid/c6ee3acb-8a36-4b0a-af30-e2dbfd4aed5b>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
c6ee3acb8a364b0aaf30e2dbfd4aed5b.1